

## 104LN

1:4 Composite Video Differential Line Amplifier



The 104LN is a high-performance line amplifier for composite or SDI video signals. It includes differential circuitry to help eliminate noise often found on the input cable in a long run

## **FEATURES**

High Bandwidth - 423MHz (-3dB)

 $\label{eq:definition} \textbf{Differential Circuitry} \ - \ \textbf{Reduces noise \& hum found in long cable runs}$ 

Level (Gain) and EQ (Peaking) Controls

Compact Kramer TOOLS™ - 3 units can be rack mounted side-by-side in a 1U rack space with the recommended rack adapter



## TECHNICAL SPECIFICATIONS

INPUT: 1 composite/SDI video, differential,  $1Vpp/75\Omega$  on a BNC connector

OUTPUTS: 4 composite/SDI video,  $1Vpp/75\Omega$  on BNC connectors

MAX. OUTPUT

LEVEL:

1.6Vpp

BANDWIDTH (-3dB): 423MHz

DIFF. GAIN: 0.22%

DIFF. PHASE: 0.1Deg

K-FACTOR: <0.05%

S/N RATIO: 73.3dB

CONTROL: Level: -1.3 to 6dB; EQ. 0 to 10.2dB

COUPLING: DC

POWER 12V DC, 95mA

CONSUMPTION:

INCLUDED Power supply, mounting bracket

ACCESSORIES:

Product Dimensions 12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96" ) W, D, H

Product Weight 0.2kg (0.5lbs) approx

Shipping Dimensions 23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50") W, D, H

Shipping Weight 0.6kg (1.2lbs) approx

