

HS-OUT2-F16

2-Channel HDMI Scaler-Switcher Output Card

| HDMI | HDCP Compliant | Kramer Core



HS-OUT2-F16 is a two-channel HDMI scaler card for the VS-1616 Series Modular Multi-Format Digital Matrix Switchers. The card scales each output signal separately to a set resolution, aspect ratio and color depth according to the native requirements of the screen or to a user setting. The scaling ensures ultra-fast switching by eliminating dependency on the display's scaling capabilities while keeping a constant output signal. In addition, it features immediate (between frame) cut switching between both ports on the same card for live-event switching/scaling

FEATURES

Max. Data Rate - 6.75Gbps (2.25Gbps per graphic channel)

Max. Scaled Output Resolution - 1080p, UXGA

Max. Input Resolution - 1080p, UXGA

HDMI, HDCP, EDID Support

Immediate Frame-to-Frame Switching Support



TECHNICAL SPECIFICATIONS

Outputs 2 HDMI On female HDMI connectors

Video Max. Data Rate 6.75Gbps (2.25Gbps per graphic channel)

Max. Scaled Output Resolution 1080p, UXGA

Max. Input Resolution 1080p, UXGA

Switching Time Between Inputs Less than 1 second (seamless)

Video Latency Less than 3 frames

Output Resolutions Native, 640x480@60Hz, 720x480p@60Hz, 720x576p@50Hz, 800x600@60Hz, 1024x768@60Hz, 1280x720p@50Hz, 1280x720p@60Hz, 1280x1024@60Hz, 1600x1200@60Hz, 1920x1200@60Hz, 1920x1080p@50Hz,

1920x1080p@60Hz

Standards Compliance HDCP 1.4, HDMI 1.3a, HDTV compatible

3D Pass-through Not supported

Extension Line Max. Range 15m (49ft) – 1080p 12 bit (deep color)

Power Consumption 22W

Environmental Conditions

Operating Temperature 0° to +40°C (32° to 104°F)

Storage Temperature -40° to +70°C (-40° to 158°F)

Humidity 10% to 90%, RHL non-condensing

STANDARDS COMPLIANCE Safety CE

Environmental Complies with appropriate requirements of RoHs and WEEE

Product Dimensions 19.00cm x 13.00cm x 2.00cm (7.48" x 5.12" x 0.79") W, D, H

Product Weight 0.2kg (0.3lbs) approx

Shipping Dimensions $34.50 \text{cm} \times 16.50 \text{cm} \times 5.20 \text{cm} (13.58" \times 6.50" \times 2.05") \text{ W, D, H}$

Shipping Weight 0.3kg (0.7lbs) approx

