



PrMMB

INSTALLATION GUIDE

Picture perfect sound.®

Questions?

Call Customer Service

1.888.213.5015

Mon-Fri 8am-6pm EST



Visit us online for product support, guides and videos

www.leonspeakers.com/support



PrMMB : Profile MatchMount Bracket

Leon's Profile MatchMount Bracket can be used to mount your Leon Profile speakers to the wall, beside of any TV. This versatile bracket offers multiple points of adjustment for a perfect fit, every time.




----- Completed Install -----



Bonded Washer




Wood Screw




Drywall Anchor / Screw




Hex Key



Foam Tape




Bracket



Template

Bracket Hardware

*Not to scale



Parts List


*Not to scale

For assistance, call: 1.888.213.5015 | Mon-Fri 8am-6pm EST




Align & level **Templates** with top
and side edges of **TV**

Level **TV** before applying templates
Templates can be secured with masking tape




Template
2x



Align **Brackets** level with **Templates**
and mark **Pilot Holes**



Bracket
2x




Remove **Brackets** and drill* **Pilot Holes** at mark locations for **Wood Screws** or **Drywall Anchors**

***3/32"** bit for **Wood Screws**

***5/16"** bit for **Drywall Anchors**

Careful to not damage TV while drilling



Remove **Templates** and attach **Brackets** to wall with **Wood Screws** or **Drywall Anchors**



Drywall Anchor/Screw

4x




Bonded Washer

4x





Wood Screw

4x




Bracket

2x




Measure depth from face of TV to the Wall and adjust speaker **Mounting Bolts** to match

Mounting Bolts come pre-installed



Hang speakers by securing
Mounting Bolts in **Brackets**

Mounting Bolts come pre-installed




Extend bottom **T-Bar Bolts** to wall
and adjust to align Speaker flush with TV

Set **T-Bar Bolts** horizontally to prevent rocking

T-Bar Bolts come pre-installed

Front of speakers aligned with front of TV





Side View


Adjust **Lock Nuts** to secure T-Bar Bolts

Lock Nuts come pre-installed

Side View




Front View



Front View

Use **Height Screws** to adjust speaker height

***Hex Bolts** may need loosening



Tighten all **Screws & Connections**
and connect **Wiring** to **Speakers**

Ensure flush TV/Speaker alignment before tightening



715 W. Ellsworth Road Ann Arbor, Michigan 48108 | 1.888.213.5015 | www.leonspeakers.com

Picture perfect sound.®