

BC-1X

1 Coax RG-6 Super High-Resolution Bulk Cable

| 3G HD-SDI - BNC



Kramer's BC-1X is a super high-resolution RG-6 style coaxial cable perfect for long distance composite and HD-SDI runs that require precision performance with analog or digital video signals

FEATURES

Quality Construction - 18AWG solid center conductor and dual shield design consisting of aluminum braid and dual aluminum Mylar foil. Rugged and flexible with low attenuation

Universal Compatibility - Compatible with Kramer's compression connectors as well as typical crimp systems

Length - Available in reels of 100/300m (328/984ft)

TECHNICAL SPECIFICATIONS

CONDUCTORS Material Bare copper

Construction 18AWG (1/18)

Diameter 1.02 ±0.005mm

INSULATION Material Skin foam

Nom. Thickness 1.77mm

Diameter 4.57 ±0.15mm

SCREENING Material Dual-foil/mylar

Coverage ≥125%

OVERALL SHIELD Material Aluminum wire

Construction 34AWG

Coverage ≥61%

JACKET Material PVC

Nom. Thickness 0.76mm

Color Dark gray

Outer Diameter 6.95 ±0.19mm

ELECTRICAL Rated Voltage 300V

Rated Temperature 80°C

DCR (20°C) 152Ω/1000m

Capacitance (20°C) 53.pF/m

SRL (20°C) -20dB

Impedance (20°C) 75 $\pm 5\Omega$

Attenuation (20°C) 0.3 dB @1 MHz, 0.6 dB @ 5 MHz, 0.8 dB @ 10 MHz, 1 dB @ 20 MHz, 1.6 dB @ 50 MHz, 1.8 dB @ 71 MHz, 2.1 dB @ 100 MHz, 2.4dB @ 135 MHz, 2.8 dB @ 180 MHz, 2.9 dB @ 200 MHz, 3.4 dB @ 270 MHz, 4.5 dB @ 400 MHz, 5.8 dB @ 750 MHz, 6.8 dB @ 1000 MHz, 8.8 dB @ 1500 MHz, 12.9 dB @

3000 MHz

Velocity of Propagation (NVP) (20°C) 82%

STANDARDS COMPLIANCE UL/cUL CL2

CSA FT4

RoHS 2011/65/EU



CONFIGURATIONS

BC-1X-100M	1 Coax: RG-6 Bulk Cable	
BC-1X-300M	1 Coax: RG-6 Bulk Cable	